

## The State of New Hampshire

## DEPARTMENT OF ENVIRONMENTAL SERVICES



## Robert R. Scott, Commissioner

**EMAIL ONLY** 

June 19, 2018

Maureen O'Leary, PhD Director of Environmental Health & Safety Dartmouth College 37 Dewey Field Road, Suite 6216 Hanover, NH 03755

Subject: Hanover – Dartmouth College Rennie Farm Site, Hanover Center Road

DES Site #201111109, Project #27737

Data Transmittal - Water Quality Monitoring Summary March 2018, prepared

by GZA GeoEnvironmental, Inc. (GZA), dated May 11, 2018

**2017 Annual Summary Report**, prepared by GZA, dated March 14, 2018

Dear Dr. O'Leary:

The New Hampshire Department of Environmental Services (NHDES) has reviewed the above-referenced reports for the Rennie Farm site in Hanover, as prepared by your environmental consultants, GZA, and recently submitted to NHDES. The reports were prepared to comply with the on-going water quality monitoring and reporting requirements of the site Groundwater Management Permit (**GWP-201111109-H-001**), issued by NHDES on August 25, 2017. Based on our review, NHDES approves the reports as compliant with the Permit requirements, and concurs with the recommendations provided in the Annual Summary Report; specifically,

- Continued operation of the site groundwater extraction and treatment system;
- Continued water quality monitoring as required under the Permit;
- Further evaluation of remedial system performance prior to the potential construction of leaching galleries within the on-site source area; and,
- Expansion of the groundwater extraction system, as allowed by access and technical feasibility, to capture more of the dissolved 1,4-dioxane groundwater plume.

Should you have questions with regard to any of our comments provided herein, please contact me directly at NHDES' Waste Management Division.

Sincerely,

Paul Rydel, P.G.

Hazardous Waste Management Bureau

Tel: (603) 271-3116 Fax: (603) 271-2181

Email: paul.rydel@des.nh.gov

ec: Karlee Kenison, PG, Administrator, HWRB

James Wieck, PG, GZA GeoEnvironmental, Inc. Attention Health Officer, Town of Hanover

Telephone: (603) 271-2908 Fax: (603) 271-2181 TDD Access: Relay NH 1-800-735-2964